

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 1/3/2024 Version: 1.0

SECTION 1: Identification

1.1. Identification

Product form Mixture

Trade name Marquise Poly 275 VOC Gym Finish Gloss - Clear

MP66050005 - MP66050001 Product code

1.2. Recommended use and restrictions on use

Recommended use : Wood floors

Restrictions on use All other uses not recommended above

1.3. Supplier

Mercury Paint Corporation 4808 Farragut Rd

Brooklyn, New York 11203

T 718-469-8787

info@mercurypaint.com

1.4. Emergency telephone number

Emergency number 1-800-858-8787

For Hazardous Materials or Dangerous Goods Incident Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night: 1-800-424-9300 (Toll Free, USA) / 703-527-3887 (Virgina,

USA) CCN 14251

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids Category 3 Flammable liquid and vapor

Skin sensitization, Category 1 May cause an allergic skin reaction

Carcinogenicity Category 1B May cause cancer

Reproductive toxicity Category 2 Suspected of damaging fertility or the unborn child

Full text of H statements: see section 16

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)







Signal word (GHS US) Danger

Hazard statements (GHS US) Flammable liquid and vapor

May cause an allergic skin reaction

May cause cancer

Suspected of damaging fertility or the unborn child

Precautionary statements (GHS US) Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

Keep container tightly closed.

Ground/Bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Avoid breathing mist, spray, vapors, gas.

Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

shower.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

If exposed or concerned: Get medical advice/attention. In case of fire: Use media other than water to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container to hazardous or special waste collection point, in accordance

with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

32% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)

32% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)

39.4% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Octamethyl Cyclotetrasiloxane	CAS-No.: 556-67-2	31.36 – 32	Repr. 2, H361 Aquatic Chronic 1, H410
Paraffinic Napthenic Solvent	CAS-No.: 64742-47-8	17.952 – 20.297	Flam. Liq. 3, H226 Asp. Tox. 1, H304
2-Butanone oxime	CAS-No.: 96-29-7	0.297 – 0.3	Flam. Liq. 4, H227 Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Carc. 1B, H350 STOT SE 1, H370 STOT SE 3, H336 STOT RE 2, H373 Aquatic Chronic 2, H411
Zinc bis(2-ethylhexanoate)	CAS-No.: 136-53-8	0.12	Eye Irrit. 2A, H319 Repr. 2, H361

Full text of hazard classes and H-statements : see section 16

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 4: First-aid measures

4.1. Description of first aid measures

: First aider: Pay attention to self-protection. Never give anything by mouth to an unconscious First-aid measures general person. Give artificial respiration if necessary. Induce artificial respiration with mask fitted with one-way valve or other suitable device but not mouth-to-mouth. IF exposed or concerned: Get

medical advice/attention.

First-aid measures after inhalation If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for

> breathing. If the victim is unconscious: Lay in a stable manner on victim's side. Induce artificial respiration with mask fitted with one-way valve or other suitable device; not mouth-to-

mouth. Call a physician immediately.

First-aid measures after skin contact Remove affected clothing and wash all exposed skin area with mild soap and water, followed

by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Wash

contaminated clothing before reuse.

First-aid measures after eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/

Rinse mouth and spit the fluids out. Do NOT induce vomiting. If vomiting occurs, the head First-aid measures after ingestion

should be kept low so that vomit does not enter the lungs. Call a poison center/doctor/

physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Inhalation may cause irritation (cough, short breathing, difficulty in breathing). Depression of Symptoms/effects after inhalation

the central nervous system, headaches, dizziness, drowsiness, loss of coordination.

Symptoms/effects after skin contact May cause an allergic skin reaction.

Symptoms/effects after eye contact Stinging, redness, itching, tears, blurred vision, swelling.

Symptoms/effects after ingestion May cause irritation to the digestive tract. Abdominal pain, nausea.

May cause an allergic skin reaction. Depression of the central nervous system, headaches, Most Important Symptoms/Effects

dizziness, drowsiness, loss of coordination.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Unsuitable extinguishing media Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard Flammable liquid and vapor.

Explosion hazard Vapors are heavier than air and may travel considerable distance to an ignition source and

flash back to source of vapors.

Hazardous decomposition products in case of fire Toxic fumes may be released. Carbon dioxide. Carbon monoxide. Hydrocarbons. Nitrogen

oxides. Metallic oxides. Sulphur oxides. Silicon oxides.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of

> explosion. Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. Eliminate all ignition sources if

safe to do so. Get the package away from the fire if this can be done without risk.

Protection during firefighting Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid all personal contact including breathing in the mist, spray, vapors, gas. Do not take

actions involving personal risks. Stop leak if safe to do so. Notify authorities if product enters

sewers or public waters.

6.1.1. For non-emergency personnel

Protective equipment Wear recommended personal protective equipment.

Evacuate the danger area. If outdoors, move to an area upwind of the danger area. If possible **Emergency procedures**

> without taking personal risks, remove ignition sources, ventilate area. No open flames, no sparks, and no smoking. Prevent other non-emergency personnel from entering the danger

area.

6.1.2. For emergency responders

Protective equipment Wear the recommended personal protective equipment.

Emergency procedures Evacuate personnel to a safe area. Ventilate spillage area. Stop leak if safe to do so. Prevent

from entering sewers, basements and workpits, or any place where its accumulation can be

dangerous. All equipment used when handling the product must be grounded.

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3. Methods and material for containment and cleaning up

For containment : Contain with non-combustible inert absorbent.

Methods for cleaning up : Small spills: Take up in non-combustible inert absorbent and place into container for disposal.

For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal. Use non-sparking tools. Contaminated absorbent material may pose the same hazard as the spilt product. Decontaminate surfaces and equipment with water and detergent. Until a sufficient level of dilution is achieved, the decontamination water may pose the same hazards as the product. Dispose of collected material as soon as possible in accordance with

applicable local/regional/national/international regulations.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Obtain special instructions before use. Do not handle until all safety precautions have been

read and understood. Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Do not breathe mist, spray, vapors, gas. Ground/bond container and receiving equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Floors, walls and other surfaces in the hazard

area must be cleaned regularly.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product. Contaminated work clothing should not be allowed out of the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a cool, dry and well-ventilated area away from incompatible substances. Keep only in

original container. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Stored containers should be

periodically checked for general condition and leakage.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Marquise Poly 275 VOC Gym Finish Gloss - Clear

No additional information available

Paraffinic Napthenic Solvent (64742-47-8)

No additional information available

Octamethyl Cyclotetrasiloxane (556-67-2)

No additional information available

Zinc bis(2-ethylhexanoate) (136-53-8)

No additional information available

2-Butanone oxime (96-29-7)

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Appropriate engineering controls

Appropriate engineering controls Ensure good ventilation of the work station. Use general ventilation, local exhaust ventilation

or process enclosure to keep the airborne concentrations below the permissible exposure

limits

Environmental exposure controls Avoid release to the environment. Take measures to reduce or limit air emissions and releases

to soil and the aquatic environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Personal protective equipment should be chosen according to national standards and in discussion with the supplier of the protective equipment. Wear recommended personal protective equipment.

Hand protection:

Wear protective gloves. The following materials are suitable for protective gloves: Chloroprene rubber, Nitrile rubber, Butyl rubber, Fluorocarbon rubber, Polyvinylchloride (PVC). The following materials are unsuitable for protective gloves because of degradation, severe swelling or low permeation time: Latex gloves

Eye protection:

Chemical goggles or face shield

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Use NIOSH approved respirator if ventilation is inadequate. SCBA for emergency responders. Must be used in accordance with an OSHA complaint respiratory protection program. Respiratory protective device with a gas filter

Personal protective equipment symbol(s):









Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid.

Appearance : Liquid.

Color : Amber

Odor : Solvent-like

Odor threshold : No data available pH : No data available Melting point : Not applicable Freezing point : No data available Boiling point : No data available

Flash point : 104 °F

Relative evaporation rate (butyl acetate=1) : No data available
Flammability (solid, gas) : Not applicable.

Vapor pressure : No data available
Relative vapor density at 20°C : No data available

Relative density : 0.93

No data available Solubility No data available Partition coefficient n-octanol/water (Log Pow) Auto-ignition temperature No data available No data available Decomposition temperature Viscosity, kinematic No data available No data available Viscosity, dynamic No data available **Explosion limits** No data available Explosive properties No data available Oxidizing properties

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapor.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

Stable under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. No flames, no sparks. Eliminate all sources of ignition. Incompatible materials.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.5. Incompatible materials

Strong acids. Strong bases. Strong reducing agents. Oxidizing agents.

10.6. Hazardous decomposition products

Thermal decomposition generates: Carbon dioxide. Carbon monoxide. Hydrocarbons. Metallic oxides. Nitrogen oxides. Silicon oxides. Sulphur oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Not classified Acute toxicity (oral) Not classified Acute toxicity (dermal) Not classified Acute toxicity (inhalation)

Marquise Poly 275 VOC Gym Finish Gloss - Clear

Unknown acute toxicity (GHS US)	32% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)
---------------------------------	---

32% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)

39.4% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/

Paraffinic Napthenic Solvent

LD50 oral rat	> 5000 mg/kg body weight
LD50 dermal rabbit	> 2000 mg/kg body weight
LC50 Inhalation - Rat	> 5.28 mg/l air

Octamethyl Cyclotetrasiloxane

LD50 oral rat	> 4800 mg/kg body weight
LC50 Inhalation - Rat	36 mg/l air

Zinc bis(2-ethylhexanoate)

LD50 dermal rat	> 2000 mg/kg body weight
LC50 Inhalation - Rat	> 5.7 mg/l/4h

2-Butanone oxime

LD50 dermal rabbit	> 1000 mg/kg body weight
LC50 Inhalation - Rat	> 4.83 mg/l air

Skin corrosion/irritation Not classified Serious eye damage/irritation Not classified

Zinc bis(2-ethylhexanoate)

Serious eye damade/imdation, rabbit Severely imdating to the e	Serious eye damage/irritation, rabbit	Severely irritating to the eye
--	---------------------------------------	--------------------------------

Respiratory or skin sensitization : May cause an allergic skin reaction.

Octamethyl Cyclotetrasiloxane

A delition of information	No considerate acceptant was absented for evidence plan
Additional information	No sensitizing reaction was observed for guinea pigs

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Germ cell mutagenicity Not classified

Carcinogenicity May cause cancer.

Suspected of damaging fertility or the unborn child. Reproductive toxicity

Paraffinic Naptheni	c Solvent
---------------------	-----------

NOAEL (animal/male, F0/P) ≥ 3000 mg/kg body weight

STOT-single exposure Not classified

2-Butanone oxime

STOT-single exposure Causes damage to organs. May cause drowsiness or dizziness.

STOT-repeated exposure Not classified

Paraffinic Napthenic Solvent

NOAEL (oral,rat,90 days)	750 mg/kg body weight
NOAEL (dermal,rat/rabbit,90 days)	≥ 495 mg/kg body weight

Zinc bis(2-ethylhexanoate)

NOAEL (subchronic,oral,animal/male,90 days)	180 mg/kg body weight
NOAEL (subchronic.oral.animal/female.90 days)	205 mg/kg body weight

2-Butanone oxime

LOAEL (oral,rat,90 days)	40 mg/kg body weight
NOAEC (inhalation,rat,vapor,90 days)	0.09 mg/l air
NOAEL (subchronic,oral,animal/male,90 days)	110 mg/kg body weight
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

Not classified Aspiration hazard Viscosity, kinematic No data available

Octamethyl Cyclotetrasiloxane

Viscosity, kinematic	1.6 mm ² /s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm ² /s)'
----------------------	---

Symptoms/effects after inhalation Inhalation may cause irritation (cough, short breathing, difficulty in breathing). Depression of

the central nervous system, headaches, dizziness, drowsiness, loss of coordination.

Symptoms/effects after skin contact May cause an allergic skin reaction.

Symptoms/effects after eye contact Stinging, redness, itching, tears, blurred vision, swelling.

Symptoms/effects after ingestion May cause irritation to the digestive tract. Abdominal pain, nausea.

Most Important Symptoms/Effects May cause an allergic skin reaction. Depression of the central nervous system, headaches,

dizziness, drowsiness, loss of coordination.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: Ecological information

12.1. Toxicity

: Very toxic to aquatic life with long lasting effects. Ecology - general

Octamethyl Cyclotetrasiloxane

LC50 - Fish [1]	> 22 µg/l
EC50 - Crustacea [1]	> 15 µg/l

2-Rutanone oxime

2-Butanone Oxime	
LC50 - Fish [1]	> 100 mg/l
EC50 - Crustacea [1]	≈ 201 mg/l
EC50 72h - Algae [1]	≈ 11.8 mg/l
EC50 72h - Algae [2]	≈ 6.09 mg/l
NOEC (chronic)	≥ 100 mg/l

12.2. Persistence and degradability

Octamethyl Cyclotetrasiloxane

Persistence and degradability Not rapidly degradable. 3.7 % biodegradation 28 days.

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Regional waste regulation Disposal must be done according to official regulations.

Waste treatment methods Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations Disposal must be done according to official regulations.

Product/Packaging disposal recommendations Disposal must be done according to official regulations. Dispose of this material and its

container at hazardous or special waste collection point. Refer to all applicable national,

international and local regulations or provisions.

Additional information Flammable vapors may accumulate in the container. Do not re-use empty containers.

Ecological information : Avoid release to the environment.

SECTION 14: Transport information

In accordance with DOT / IMDG / IATA

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT	IMDG	IATA
14.1. UN number		
1263	1263	1263
14.2. Proper Shipping Name		
Paint	PAINT	Paint
14.3. Transport hazard class(es)		
3	3	3
PLANMABLE LIQUID	3	3
l4.4. Packing group		
Ш	III	III
14.5. Environmental hazards		
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes
No supplementary information available		

14.6. Special precautions for user

DOT Vessel Stowage Location

DOT

UN-No.(DOT) : UN1263 DOT Packaging Exceptions (49 CFR 173.xxx) : 150 DOT Packaging Non Bulk (49 CFR 173.xxx) : 173 DOT Packaging Bulk (49 CFR 173.xxx) : 242 DOT Quantity Limitations Passenger aircraft/rail : 60 L (49 CFR 173.27) DOT Quantity Limitations Cargo aircraft only (49 : 220 L CFR 175.75)

: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

IMDG

Special provision (IMDG) : 163, 223, 367, 955

Limited quantities (IMDG) : 5 L

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P001, LP01

Packing provisions (IMDG) : PP1

IBC packing instructions (IMDG) : IBC03

Tank instructions (IMDG) : T2

Tank special provisions (IMDG) : TP1, TP29

EmS-No. (Fire) : F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS

EmS-No. (Spillage) : S-E - SPILLAGE SCHEDULE Echo - FLAMMABLE LIQUIDS, FLOATING ON WATER

Stowage category (IMDG) : A

Properties and observations (IMDG) : Miscibility with water depends upon the composition.

IATA

PCA Excepted quantities (IATA) E1 PCA Limited quantities (IATA) Y344 PCA limited quantity max net quantity (IATA) 10L PCA packing instructions (IATA) 355 PCA max net quantity (IATA) 60L CAO packing instructions (IATA) 366 CAO max net quantity (IATA) 220L ERG code (IATA) 3L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Contains chemical(s) subject to TSCA 12b export notification if product is shipped outside the U.S

Octamethyl Cyclotetrasiloxane CAS-No. 556-67-2 31.36 – 32%

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.2. International regulations

CANADA

Paraffinic Napthenic Solvent (64742-47-8)

Listed on the Canadian DSL (Domestic Substances List)

Octamethyl Cyclotetrasiloxane (556-67-2)

Listed on the Canadian DSL (Domestic Substances List)

Zinc bis(2-ethylhexanoate) (136-53-8)

Listed on the Canadian DSL (Domestic Substances List)

2-Butanone oxime (96-29-7)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

Paraffinic Napthenic Solvent (64742-47-8)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Octamethyl Cyclotetrasiloxane (556-67-2)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Zinc bis(2-ethylhexanoate) (136-53-8)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

2-Butanone oxime (96-29-7)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases	
H226	Flammable liquid and vapor
H227	Combustible liquid
H301	Toxic if swallowed
H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
H350	May cause cancer
H361	Suspected of damaging fertility or the unborn child
H370	Causes damage to organs
H373	May cause damage to organs through prolonged or repeated exposure
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.